

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	10	((("6188973") or ("6237112") or ("6243790") or ("5835700") or ("6266721")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/04 13:30
S2	44	((("6188973") or ("6237112") or ("6243790") or ("5835700") or ("6266721") or ("6073209") or ("6282610") or ("6260120") or ("6038689") or ("5987622") or ("5822777") or ("5815649") or ("5513314") or ("5109318") or ("5815371") or ("5184281") or ("6278609") or ("6282096") or ("6282094") or ("5996089") or ("5832222") or ("6148414")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/04 13:47
S3	30	("4575714" "4754397" "4903194" "4974156" "5428555" "5428752" "5471600" "5500940" "5555390" "5581201" "5586250" "5586253" "5606664" "5613074" "5613154" "5628027" "5636342" "5636347" "5659698" "5659795" "5684671" "5734208" "5790782" "5835700" "5838891" "5848230" "5850539" "5877938" "5892973" "5956665").PN.	USPAT	OR	OFF	2004/01/04 13:54
S4	58764	(rack\$3 or shelf or shelves) with (enclosure or storage or disk or power or sensor or fan or raid)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/02 14:24
S5	215	((rack\$3 or shelf or shelves) with (enclosure or storage or disk or power or sensor or fan or raid)) and (junction near3 box)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/04 14:33
S6	0	((rack\$3 or shelf or shelves) with (enclosure or storage or disk or power or sensor or fan or raid)) and ((junction near3 box) with serial\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/04 14:33
S7	53	((((rack\$3 or shelf or shelves) with (enclosure or storage or disk or power or sensor or fan or raid)) and (junction near3 box)) and serial	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/04 14:34

S8	162	((rack\$3 or shelf or shelves) with (enclosure or storage or disk or power or sensor or fan or raid)) and (junction near3 box)) and (location or (physical near3 location))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/04 14:34
S9	47	(((((rack\$3 or shelf or shelves) with (enclosure or storage or disk or power or sensor or fan or raid)) and (junction near3 box)) and (location or (physical near3 location))) and serial	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/04 14:34
S10	22	((rack\$3 or shelf or shelves) with (enclosure or storage or disk or power or sensor or fan or raid)) with (physical near3 (id or location or position))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/04 15:06
S11	2633	((Determin\$3 or sens\$3 or detect or configure or decide or judg\$3 or discover\$3 or identify\$3) near3 (location or position or placement or place)) with (rack or shelf or ledge)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/04 17:20
S12	238	((Determin\$3 or sens\$3 or detect or configure or decide or judg\$3 or discover\$3 or identify\$3) near3 (location or position or placement or place)) with (rack or shelf or ledge)) with (enslosure or disk or storage)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/04 15:24
S13	4941	((Determin\$3 or sens\$3 or detect or configure or decide or judg\$3 or discover\$3 or identify\$3) near3 (location or position or placement or place)) with (rack or shelf or ledge or tray)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/04 16:28
S14	465	((Determin\$3 or sens\$3 or detect or configure or decide or judg\$3 or discover\$3 or identify\$3) near3 (location or position or placement or place)) with (rack or shelf or ledge or tray)) with (enslosure or disk or storage)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/04 15:25
S15	204	((Determin\$3 or sens\$3 or detect or configure or decide or judg\$3 or discover\$3 or identify\$3) near3 (location or position or placement or place)) with (rack or shelf or ledge or tray)) with (bank or cabinet or housing)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/04 17:18

S16	0	(((Determin\$3 or sens\$3 or detect or configure or decide or judg\$3 or discover\$3 or identify\$3) near3 (location or position or placement or place)) with (rack or shelf or ledge or tray)) with (bank or cabinet or housing)) with (serial\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/04 16:18
S17	13	(((Determin\$3 or sens\$3 or detect or configure or decide or judg\$3 or discover\$3 or identify\$3) near3 (location or position or placement or place)) with (rack or shelf or ledge or tray)) with (serial\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/04 16:15
S18	1	(RAID) and disk and ((j or junction) near3 (box))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/04 16:27
S19	3	(RAID) and ((j or junction) near3 (box))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/04 16:24
S20	7	709/325.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/04 16:26
S21	2121	(RAID or array) with (disk) with (connect\$4 or junction)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/04 17:01
S22	222	(first near3 ((j or junction) near3 (box))) and (second near3 ((j or junction) near3 (box)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/04 16:34
S23	0	(((Determin\$3 or sens\$3 or detect or configure or decide or judg\$3 or discover\$3 or identify\$3) near3 (location or position or placement or place)) with (rack or shelf or ledge or tray)) and ((first near3 ((j or junction) near3 (box))) and (second near3 ((j or junction) near3 (box))))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/04 16:28
S24	24	((first near3 ((j or junction) near3 (box))) and (second near3 ((j or junction) near3 (box)))) and (rack or shelf or ledge or tray)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/04 16:34
S25	53	((RAID or array) with (disk) with (connect\$4 or junction)) with serial\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/04 17:00

S26	448	(RAID or array) and ((disk) with serial\$4 with (connect\$4 or junction))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/04 17:13
S27	49	((RAID or array) and ((disk) with serial\$4 with (connect\$4 or junction))) and (rack\$3 or shelf or shelves)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/04 17:02
S28	3	(RAID or array) and ((disk) with (EMU or (environmental near monitoring near unit)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/04 17:13
S29	217	((Determin\$3 or sens\$3 or detect or configure or decide or judg\$3 or discover\$3 or identify\$3) near3 (location or position or placement or place)) with (rack or shelf or ledge or tray)) with (bank or cabinet or housing or chassis)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/04 17:18
S30	37	((RAID or array) with (disk) with (connect\$4 or junction)) with serial\$4) and (location or position or placement or place)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/04 17:20
S31	222	(junction near3 box) and ((rack\$3 or shelf or shelves) with (enclosure or storage or disk or power or sensor or fan or raid))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/02 15:53
S32	278	(junction near3 box) and (rack\$3 or shelf or shelves) and (computer or network)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/02 14:56
S33	397	(junction near3 box) and (rack\$3 or shelf or shelves or cabinet) and (computer or network)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/07 15:35
S34	1872	312/223.1,223.2,223.3,223.4,223.5, 223.6.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/02 15:53
S35	18	312/223.1,223.2,223.3,223.4,223.5, 223.6.ccls. and (junction near3 box)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/02 15:53
S36	5004	361/679,680,681,682,683,684,685, 686.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/07 15:36
S37	18	361/679,680,681,682,683,684,685, 686.ccls. and (junction near3 box)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/07 16:00

S38	5	("4950168" "5655927" "5764487" "5822189" "6213788").PN.	USPAT	OR	OFF	2004/06/07 15:59
S39	11	361/679,680,681,682,683,684,685, 686.ccls. and (Electrical near3 connection near3 box)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/07 16:01
S40	11	361/679,680,681,682,683,684,685, 686.ccls. and (Electrical near3 connection near3 box)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 12:15
S41	18	361/679,680,681,682,683,684,685, 686.ccls. and (junction near3 box)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 12:25
S42	1	bus with (generate or implement) with (shelf or cabinet) with (identif\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 12:59
S43	10	("5956665").URPN.	USPAT	OR	ON	2004/11/15 12:38
S44	2527	bus with generat\$5 with (id or identif\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 13:00
S45	403	bus near4 generat\$5 near4 (id or identif\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 17:26
S46	504	bus near3 (generat\$5 or creat\$5 or determin\$5) near3 (id or identif\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 17:45
S47	59	S46 and (rack\$3 or shelf or shelves or cabinet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 17:45
S48	2	("5938776").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 17:39
S49	4484	bus near3 (generat\$5 or creat\$5 or determin\$5) near3 (address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/16 17:16

S50	368	S49 and (rack\$3 or shelf or shelves or cabinet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 18:19
S51	2	(sens\$4 near3 (wire or cable)) near3 (generat\$5 or create\$5 or determin\$5) near3 (address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/16 17:17